

# F-CU 220


## UNIVERSAL CONTROL UNIT FOR ROLLER DOORS




Compatible with all tubular motors, central motors and side motors with mechanical limit.



## Indicator light



## Control panel



# MULTI FUNCTION setting panel



SET

limits  
learning



LED off  
delay time



Wireless device  
pairing

WIFI

Wi-Fi

CODE

Remote control  
pairing



Maintenance  
alarm



Partial open  
on/off/height

LIMIT

Limit mode  
selection

AUTO  
CLOSE

Auto closing  
function

DEAD  
MAN


Deadman  
mode



Wired photo  
beam test

RELAY  
FUNCTION

Relay  
function



Wireless safety edge  
(optical, 8.2K)



Wireless photo beam



Wireless E-lock



Remote control

|                                          |                                                         |
|------------------------------------------|---------------------------------------------------------|
| Power supply frequency (Hz)              | 50/60                                                   |
| Input voltage ( $\pm 10\%$ )             | 1 N~110-220 V, PE                                       |
| External output power                    | 24V(DC) 0.5A                                            |
| System control voltage (V)               | 3.3                                                     |
| Temperature range ( $^{\circ}\text{C}$ ) | $-20^{\circ}\text{C} \sim +60^{\circ}\text{C}$          |
| IP grade                                 | IP43                                                    |
| Limit mode                               | Built-in mechanical limit/<br>External mechanical limit |